



RING WRAPPER



Penguin **Horizontal Ring Wrapper** is an ideal packaging solution for packing lengthy products. The LLDPE stretch cling film is helically wrapped around the surface of the product, as it moves towards the delivery conveyor from the feed conveyor. Bundling of profiles, sections can be done in this machine.

Productivity:
50-500 meters/hour
For wide width sheets,
boards, ply woods, doors...



Productivity:
50-200 meters/hour
For door panels, profiles,
pipes.



Salient Features:

- Machine supplied for any length and cross-section of any product in singles / bundles
- Overlap of film can be varied as desired

Applications:

Aluminium profiles, Metallic shafts / tubes, rigid PVC pipes, Aluminium and other sections, doors, bundles of a number of cloth rolls etc.,




Specifications

CAPACITY: Min. packing size : 250 x 60 mm Max. packing size : 650 x 250 mm Packing length : 3m (or) 6m (or) longer		MACHINE: * Ring diameter : 600 / 1000 / 1500 mm Ring speed : 35 rpm (max.) Max. stretch : 255% (Fixed) Installed power : Depends on size Power supply : 415V, Three phase, 50 Hz		FILM DETAILS: Number of rolls : 2 Material : LLDPE Stretch film Film width : 250 / 500mm Film thickness : 23 μ Core diameter : 76 mm Max. Film diameter : 250 mm	
--	--	--	--	---	--


* We also offer custom built machines to suit your product requirements

Layout - Ring Wrapper (For wide width sheets, boards, ply woods, doors,...)



Note: All dimensions are in mm

Layout - Ring Wrapper (For door panels, profiles, pipes,...)



Note: All dimensions are in mm

Manufactured by



Factory:

3 / 184, Kodayampalayam
Vaiyampalayam Post
Coimbatore - 641 110. Tamil Nadu INDIA
Tel: +91 94436 77432 , +91 94436 77804

Office:

"The Rookery", 46-B, KRK Road
Krishnasamy Nagar II Layout
Ramanathapuram
Coimbatore - 641 045. Tamil Nadu INDIA
Tel: +91 - 422 - 231 56 40 / 41 /44



✉ info@penguin.in

🌐 www.penguin.in